



Paimore PLEXMENT

Professional Hair Treatment
サロン様用システムトリートメント



新発売



1. 改善，提升秀髮質感
2. 消除毛燥不打結
3. 順直輕盈不僵硬
4. 綻放自然光澤亮麗
5. 針對髮質不同配方調配
6. 18種氨基酸修復髮質

1. Enhancing and Building-up hair texture
2. Untangling and Fix frizzy hair
3. Providing a smooth and lightweight balance
4. Producing natural luminous hair
5. Combined with different methods to improve the quality of the hair.
6. By combining 18 kinds of amino acids that is the basis of hair, it leads to glossy, elastic, and healthy.

Made in Japan

HONDEN
Honden Limited



Paimore PLEXMENT

Professional Hair Treatment
サロン様用システムトリートメント



Plexment Relaxing A+

●容量 300 g

乙醛酸和頭髮中的角蛋白胺基酸形成反應，通過肽鍵與四種角蛋白結合，從而修復變形，不規則波浪的頭髮。

Glyoxylic Acid reacts with amino base in the keratin for 4 keratin protein bonding to fix the distortion, unwanted wave and unruly hair.

Plexment Relaxing Bond A Gel

●容量 480 g

含有三種酸性成分，蘋果酸，甘醇酸與水楊酸，替髮絲形成保護層，增強頭髮韌性並能保護秀髮不受加熱損害

It contains 3 different types of acid, Glycolic Acid, Malic Acid and Salicylic Acid which protects hair damage from the heat of hair dryer or iron and reinforce the hair strength.



Plexment Relaxing Bond A Cream

●容量 480 g

含有三種酸性成分，蘋果酸，甘醇酸與水楊酸，替髮絲形成保護層，增強頭髮韌性並能保護秀髮不受加熱損害

It contains 3 different types of acid, Glycolic Acid, Malic Acid and Salicylic Acid which protects hair damage from the heat of hair dryer or iron and reinforce the hair strength.

Plexment After Bond B

●容量 480 g

含水解角蛋白，18種氨基酸及與二羧酸結合的其他養髮成分，能有效滲透至深層髮絲鞏固毛髮結構，同時加入賴氨酸鈉，為頭皮及頭髮營造保濕效果。

It contains keratin PPT, 18 kinds of amino acids, and other restoration composition, able to seep into the hair then hold the structure by Dicarboxylate. Dicarboxylates are capable of moisturizing the hair and the scalp.





Paimore PLEXMENT

Professional Hair Treatment
サロン様用システムトリートメント



使用配方:

以下配方只供參考

髮質	髮質 分數	比例 A+ : A (Gel/Cream)	加熱時間 及溫度	直髮夾 溫度
*抗拒至正常	110-90分	1 : 1	20分鐘/高溫	200°C-220°C
正常至輕度受損	90-70分	1 : 1	20分鐘/高溫	180°C-200°C
輕度受損至中度受損	70-50分	1 : 2	20分鐘/中溫	160°C-180°C
中度受損至高度受損	50-30分	1 : 4	10-20分鐘/微溫	160°C-180°C
高度受損至極度受損	30-20分	1 : 8	10-20分鐘/不加溫	140°C-160°C
極度受損至*輕微糜爛	20-10分	1 : 16	10-20分鐘/不加溫	140°C-160°C

*抗拒至正常髮質先用直療第一劑塗放10-15分鐘，然後沖水。

*輕微糜爛髮質只可有限地修復。

使用方法:

1. 先用洗頭水把頭髮徹底洗淨。
2. Bond B和水1比1攪勻塗放全條受損部份，再以純Bond B塗放30分或以下的高度至糜爛髮質(免加熱，免沖水)。
3. 按頭髮條件及需要效果調配Relaxing A+及Relaxing Bond A (Gel/Cream)的比例，把適當的配方平均塗上頭髮的各部分(注意不需要接觸頭皮)。
4. 塗放完成後，包上保鮮膜，然後加熱(時間和溫度，按效果需求而定)。
5. 加熱完畢後，無需檢查，直接以溫水沖淨，再用洗頭水輕洗一次(視乎髮質而定)。
6. 以After Blond B(約15-20克)平均塗抹頭髮上，持續按摩10-15分鐘，然後以溫水沖淨。
7. 把頭髮吹乾，用直髮夾把頭髮夾直，吹髮造型。

建議：髮師可建議客人購買After Bond B，在家日常使用以達致最佳效果。

Formula:

For Reference ONLY

Hair Types	Rating	Ratio A+ : A (Gel/Cream)	Temperature	Hair Iron Temperature
*Resistance to Normal	110-90	1 : 1	20 mins/High	200°C to 220°C
Normal To Slightly Damaged	90-70	1 : 1	20 mins/High	180°C to 200°C
Slightly To Medium Damaged	70-50	1 : 2	20 mins/Medium	160°C to 180°C
Medium To Highly Damaged	50-30	1 : 4	10-20 mins/Warm	160°C to 180°C
Highly To Extremely Damaged	30-20	1 : 8	10-20 mins/No Heat	140°C to 160°C
Extremely to Fully Damaged	20-10	1 : 16	10-20 mins/No Heat	140°C to 160°C

*Apply Straightening Thermotherapy Lotion Part 1 around 10-15 mins, then rinse.

*Fully Damaged hair can only be repaired slightly.

Directions:

1. Pre Shampooing (Cleansing Shampoo)
2. Apply to the damaged hair by mixing Bond B and water 1:1 evenly. Then, apply Bond B to the damaged level of hair under/or 30(no heating and rinsing).
3. Apply Relaxing A+ and Relaxing Bond A (Gel/Cream) (Depending on the Damaged levels of the hair). Keep it above the Scalp by 5mm minimum upon application.
4. Leave on with heat(depending on the result).
5. After heating, rinse gently with shampoo (depending on the hair types).
6. Apply After Bond B (approximately 15g – 20g) onto the hair for 10-15 minutes. Then, Rinse off completely.
7. Straightening the hair with a Hair Iron and getting the best blowout.

Remarks: For extremely damaged hair, Salons should suggest customers purchasing "After Bond B" for home care use to accomplish the best result.

技術專線 Hotline: Alan@852 6056 0872